



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture	McCulloch 4-stroke oil 10W-40
Registration number	-
Synonyms	None.
Product code	57761 64-15 (1,4L), 577 61 64-21 (0,08L), 531 02 48-15 (1,4L)
Issue date	26-October-2012
Version number	01
Revision date	-
Supersedes date	-

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	4-Stroke oil.
Uses advised against	Use in accordance with supplier's recommendations.

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Company name	Husqvarna AB
Address	Drottninggatan 2
Telephone	036-14 65 00
e-mail	sds.info@husqvarna.se
Contact person	Accessory Department

1.4. Emergency telephone number	+1-760-476-3961 (Access code 333721)
---------------------------------	---

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

#### Hazard summary

Physical hazards	Not classified for physical hazards.
Health hazards	Not classified for health hazards.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	May cause eye irritation on direct contact. May form vapours or oil mists during mechanical action or at elevated temperatures which may be irritating to respiratory tract. Prolonged exposure to oil mist may cause pulmonary disease such as chronic inflammation. Prolonged and repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.
Main symptoms	Irritation of eyes and mucous membranes. Defatting of the skin. Dermatitis. Ingestion may cause irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory system and cause coughing.

### 2.2. Label elements

#### Label according to Directive 67/548/EEC or 1999/45/EC as amended

R-phrases	None.
S-phrases	None.
Authorization number	None.

Supplemental label information Not applicable.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
---------------	---	------------------	------------------------	-----------	-------

Highly refined mineral oil (DMSO-extract < 3% IP 346)	> 75	-	-	-	
--	------	---	---	---	--

**Classification:**    **DSD:** -  
                                 **CLP:** -

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	1 - 2	68649-42-3 272-028-3	-	-	
--	-------	-------------------------	---	---	--

**Classification:**    **DSD:** Xi;R38-41, N;R51/53  
                                 **CLP:** Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Chronic 2;H411

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

#: This substance has been assigned Community workplace exposure limit(s).

**Composition comments**            The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## SECTION 4: First aid measures

**General information**            If you feel unwell, seek medical advice (show the label where possible).

### 4.1. Description of first aid measures

**Inhalation**                        Move to fresh air. If breathing is difficult, give oxygen. Call a physician if symptoms develop or persist.

**Skin contact**                      Wash with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions. If high pressure injection under the skin occurs, always seek medical attention.

**Eye contact**                        Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids wide apart. If irritation persists: Continue flushing during transport to hospital. Take along these instructions.

**Ingestion**                          Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get immediate medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**            Irritation of eyes and mucous membranes. Defatting of the skin. Dermatitis. Ingestion may cause irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory system and cause coughing.

**4.3. Indication of any immediate medical attention and special treatment needed**            Provide general supportive measures and treat symptomatically. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Symptoms may be delayed. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local procedures for treatment of this type of wound; incision, irrigation, removal of all necrotic tissue and open wound dressing.

## SECTION 5: Firefighting measures

**General fire hazards**            Heating may generate vapors which may form explosive vapor/air mixtures. Material will float and can be re-ignited on surface of water.

### 5.1. Extinguishing media

**Suitable extinguishing media**            Foam. Dry powder. Carbon dioxide (CO2). Water fog.

**Unsuitable extinguishing media**            Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**            By heating and fire, irritating vapours/gases may be formed.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters**            Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

**Special fire fighting procedures**            Move container from fire area if it can be done without risk. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear protective clothing as described in section 8 of this safety data sheet. In case of spills, beware of slippery floors and surfaces.

**For emergency responders** Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.

**6.2. Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow to enter drains, sewers or watercourses. Environmental manager must be informed of all major releases.

**6.3. Methods and material for containment and cleaning up** Remove sources of ignition. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Wash area with soap and water.

Small Spills: Wipe up spilled material and place in a suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

**6.4. Reference to other sections** For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Wear protective clothing as described in Section 8 of this safety data sheet. Use only in well-ventilated areas. Avoid inhalation of oil mist and contact with skin and eyes. Do not eat, drink or smoke when using the product. Be aware of potential for surfaces to become slippery. Observe good industrial hygiene practices.

**7.2. Conditions for safe storage, including any incompatibilities** Keep away from ignition, flame and heat sources. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

**7.3. Specific end use(s)** 4-Stroke oil.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Belgium. Exposure Limit Values.

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

##### Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TWA	5 mg/m3

##### Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol

##### Denmark. Exposure Limit Values

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TLV	1 mg/m3	Mist.

**Finland. Workplace Exposure Limits**

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TWA	5 mg/m <sup>3</sup>	Mist.

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

Components	Type	Value	Form
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (CAS 68649-42-3)	TWA	2 mg/m <sup>3</sup>	Inhalable fraction.
		0,1 mg/m <sup>3</sup>	Respirable fraction.

**Greece. OELs (Decree No. 90/1999, as amended)**

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TWA	5 mg/m <sup>3</sup>	Mist.

**Hungary. OELs. Joint Decree on Chemical Safety of Workplaces**

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	Ceiling	5 mg/m <sup>3</sup>	Mist.

**Iceland. OELs. Regulation 154/1999 on occupational exposure limits**

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TWA	1 mg/m <sup>3</sup>	Mist.

**Ireland. Occupational Exposure Limits**

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TWA	0,2 mg/m <sup>3</sup>	Inhalable fraction.

**Italy. OELs**

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

**Latvia. OELs. Occupational exposure limit values of chemical substances in work environment**

Components	Type	Value
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TWA	5 mg/m <sup>3</sup>

**Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)**

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	STEL	3 mg/m <sup>3</sup>	Fume and mist.
	TWA	1 mg/m <sup>3</sup>	Fume and mist.

**Netherlands. OELs (binding)**

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TWA	5 mg/m <sup>3</sup>	Mist.

## Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	TLV	1 mg/m <sup>3</sup>	Mist.

## Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	STEL	10 mg/m <sup>3</sup>	Aerosol
	TWA	5 mg/m <sup>3</sup>	Aerosol

## Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	STEL	10 mg/m <sup>3</sup>	Aerosol
	TWA	5 mg/m <sup>3</sup>	Aerosol

## Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	STEL	10 mg/m <sup>3</sup>
	TWA	5 mg/m <sup>3</sup>

## Spain. Occupational Exposure Limits

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.

## Sweden. Occupational Exposure Limit Values

Components	Type	Value	Form
Highly refined mineral oil (DMSO-extract < 3% IP 346) (CAS -)	STEL	3 mg/m <sup>3</sup>	Mist.
	TWA	1 mg/m <sup>3</sup>	Mist.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no-effect level (DNEL)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

## 8.2. Exposure controls

**Appropriate engineering controls** Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist. Use explosion-proof equipment. Provide easy access to water supply and eye wash facilities.

### Individual protection measures, such as personal protective equipment

**General information** Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

#### Skin protection

##### - Hand protection

Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

##### - Other

Wear appropriate clothing to prevent repeated or prolonged skin contact.

#### Respiratory protection

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P2) can be used. Wear air-supplied mask in confined areas. Seek advice from local supervisor.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using, do not eat, drink or smoke. Launder contaminated clothing before reuse. Private clothes and working clothes should be kept separately.

**Environmental exposure controls** Environmental manager must be informed of all major spillages.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Brown liquid.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Brown.
<b>Odour</b>	Oily. Slight.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not applicable.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	> 200 °C (> 392 °F) Cleveland open cup (ASTM D 92)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	0,876 (15 °C) (ASTM D 4052) ( Water = 1)
<b>Solubility(ies)</b>	Negligible.
<b>Partition coefficient (n-octanol/water)</b>	Log Kow: >3 (Estimated).
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	90 mm <sup>2</sup> /s (40 °C) (ASTM D 455)
<b>Explosive properties</b>	Not available.
<b>Oxidizing properties</b>	Not oxidizing.
<b>9.2. Other information</b>	No relevant additional information available.

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	Hazardous polymerisation does not occur.
<b>10.4. Conditions to avoid</b>	Heat, sparks, flames, elevated temperatures. Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Strong oxidising agents.
<b>10.6. Hazardous decomposition products</b>	By heating and fire, irritating vapours/gases may be formed. Carbon oxides.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

<b>Ingestion</b>	Ingestion may cause irritation and malaise. Ingestion may result in vomiting; aspiration (breathing) of vomitus into lungs must be avoided as even small quantities may result in aspiration pneumonitis.
<b>Inhalation</b>	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.

<b>Skin contact</b>	Prolonged or repeated contact may dry skin and cause dermatitis.
<b>Eye contact</b>	Contact with eyes may cause irritation.
<b>Symptoms</b>	Irritation of eyes and mucous membranes. Defatting of the skin. Dermatitis. Ingestion may cause irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory system and cause coughing.

#### 11.1. Information on toxicological effects

<b>Acute toxicity</b>	May irritate and cause stomach pain, vomiting, diarrhoea and nausea. Human evidence indicates that the product has very low acute oral, dermal or inhalation toxicity. However, it can produce severe injury if taken into the lung as a liquid, and there may be profound central nervous system depression following prolonged exposure to high levels of vapour.
<b>Skin corrosion/irritation</b>	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
<b>Serious eye damage/irritation</b>	Contact with eyes may cause irritation.
<b>Respiratory sensitisation</b>	No data available.
<b>Skin sensitisation</b>	No data available.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not classified.
<b>Reproductive toxicity</b>	No data available.
<b>Specific target organ toxicity - single exposure</b>	High concentrations: May cause respiratory irritation.
<b>Specific target organ toxicity - repeated exposure</b>	No data available.
<b>Aspiration hazard</b>	Not classified, however droplets of the product may be aspirated into the lungs through ingestion or vomiting and may cause a serious chemical pneumonia.
<b>Mixture versus substance information</b>	Not available.
<b>Other information</b>	Prolonged and repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

## SECTION 12: Ecological information

<b>12.1. Toxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>12.2. Persistence and degradability</b>	Expected to biodegrade slowly.
<b>12.3. Bioaccumulative potential</b>	The product contains potentially bioaccumulating substances.
<b>Partition coefficient n-octanol/water (log Kow)</b>	Log Kow: >3 (Estimated).
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	Not available.
<b>Mobility in general</b>	The product is insoluble in water. It will spread on the water surface while some of the components will eventually sediment in water systems. The volatile components of the product will spread in the atmosphere.
<b>12.5. Results of PBT and vPvB assessment</b>	Not a PBT or vPvB substance or mixture.
<b>12.6. Other adverse effects</b>	Oil spills are generally hazardous to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Dispose in accordance with all applicable regulations. This material and/or its container must be disposed of as hazardous waste.

## SECTION 14: Transport information

### ADR

The product is not covered by international regulation on the transport of dangerous goods.

### RID

The product is not covered by international regulation on the transport of dangerous goods.

### ADN

The product is not covered by international regulation on the transport of dangerous goods.

### IATA

The product is not covered by international regulation on the transport of dangerous goods.

### IMDG

The product is not covered by international regulation on the transport of dangerous goods.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I**

Not listed.

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorisation**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work**

Not regulated.

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding**

Not regulated.

#### Other EU regulations

**Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances**

Not regulated.

**Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Not listed.

**Directive 94/33/EC on the protection of young people at work**

Not listed.

#### Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

#### National regulations

Follow national regulation for work with chemical agents.



**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

**List of abbreviations**

DNEL: Derived No-Effect Level.  
PNEC: Predicted No-Effect Concentration.  
PBT: Persistent, bioaccumulative and toxic.  
vPvB: Very Persistent and very Bioaccumulative.

**References**

HSDB® - Hazardous Substances Data Bank  
Registry of Toxic Effects of Chemical Substances (RTECS)  
ESIS (European chemical Substances Information System)

**Information on evaluation method leading to the classification of mixture**

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

**Full text of any statements or R-phrases and H-statements under Sections 2 to 15**

R38 Irritating to skin.  
R41 Risk of serious damage to eyes.  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
H315 - Causes skin irritation.  
H318 - Causes serious eye damage.  
H411 - Toxic to aquatic life with long lasting effects.

**Training information**

Follow training instructions when handling this material.

**Classification according to Regulation (EC) No 1272/2008 as amended**

**Health hazards**

Serious eye damage/eye irritation

Category 2

H319 - Causes serious eye irritation.

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available.